

## Notice of Intent for the Offshore Subcategory of the On and Sub-Attack. Category for the Western Portion of the Outer Continental Shelf of the Gulf of Mexico Notice of Intent for the Offshore Subcategory of the Oil and Gas Extraction Point Source (GMG290000)

U.S. EPA Region 6 Offshore General Permits Mail Code 6EN-WC1445 Ross Ave., Suite 1200 Dallas, TX 75202-2733

Submission of this completed Notice of Intent (NOI) constitutes notice that the entity in Section B intends to be authorized to discharge pollutants to Federal waters of the Gulf of Mexico seaward of the outer boundary of the territorial seas offshore of Louisiana and Texas (77 Fed. Reg. No. 196, p. 61605, October 10, 2012,

http://www.epa.gov/region6/water/npdes/genpermit/gmg290000final/gmg290000finalpermit2012.pdf) www.epa.gov/region6/water/npdes/genpermit/. Submission of the NOI also constitutes notice that the party identified in Section B of this form has read, understands, and meets the eligibility conditions in the Regulated Entities section of the Final General Permit for the above mentioned permit and agrees to comply with all applicable terms and conditions of this General Permit. In order to be granted coverage, all information required on this form must be completed unless designated as optional. Please read and make sure you comply with all permit requirements.

	Enter NPDESID *	Organization Formal Name	•			
GM G29	GM G29 0376 Tarpon Operating & Development, LLC					
		Organization Nated by Preparer				
		EnVen Energy Ventures, t	I.C			
Reason f	or Submission "					
◯ Chan	ge operator legal name and address	<b>•</b> /	Add structures		Change structure information	
O Delet	e structures	0/	Add limit set(s) for an existing permitted feature		O Delete limit set(s) from an existing permitted feature	
Add Structure	25					
Non-Sen	sitive Areas					
Lease BI	lock 1					
Lease Ar	ea Block Name *	Lease Area Block Number *	Lease Area Block BOEM Number*			
Mississi	ppi Canyon	194	OCS-G 2639	X		
	,					
Structu	re 1					

Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	
MODU	Well No. A052	+ 28.790856 -	89.056398	X
Water Depth (in feet)	Built after 07/17/2006?* No			
Chem . Treated M	isc. Discharge (CT) Cooling Water Intake Str	ucture (CW) 🔀 Drilling Fluidsand Cuttings(DF)	Hydrate Control Fluid (HF)	X Maintenance BMP (WM)
Misc Discharge (N	MD) Produced Water (PR)	Sanitary & Opiniestic WW, Deck	Stock Base Fluid Drill (SB)	── Well Fluids (WF)
Add Structu	4	Drainaga (WW)	_	
Structure 2				
Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	
MODU	Well No. A001	+ 28.791126 -	89.0562222	<u> </u>
Water Depth (in feet) 1023	Built after 07/17/2006?* No			
Chem . Treated M	isc. Discharge (CT) Cooling Water Intake Str	ucture (CW) 🔀 Drilling Fluidsand Cuttings (DF)	Hydrate Control Fluid (HF)	X Maintenance BMP (WM)
Misc Discharge (N	on a constant of	San Lary & Domestic WW, Deak Drainage (VVV)	▼ Stock Base Fluid Drill (SB)	Well Fluids (WF)
Structure 3				
Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	
MODU	Well No. A007	+ 28.791102 -	89.056156	X
Water Depth (in feet)	Built after 07/17/2006?* No			
Chem Treated M	isc. Discharge (CT) Cooling Water Intake Str	ucture (CW) 🔀 Drilling Fluids and Cuttings (DF)	Hydrate Control Fluid (HF)	Maintenance BMP (WM)
Misc Discharge (N		San Lary & Domestic WW, Deck Drainage (WW)	X Stock Base Fluid Drill (SB)	<b>⋈</b> Well Fluids (WF)
Add Structu	re			
Structure 4				

Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	
MODU	Well No. A011	+ 28.791083	89.056112	X
Water Depth (in feet)	Built after 07/17/2006?*  No			
Chem . Treated Mis	sc. Discharge (CT) Cooling Water Intake Stru	cture (CW) 🔀 Drilling Fluidsand Cuttings(DF)	Hydrate Control Fluid (HF)	Maintenance BMP (WM)
Misc Discharge (M		Sanitary & Domestic WW, Deck Drainage (WW)	▼ Stock Base Fluid Drill (SB)	<b>◯</b> Well Fluids (WF)
Add Structur	ė			
Structure 5				
Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	
MODU	Well No. A005	+ 28.791055	89.056142	X
Water Depth (in feet) 1023	Built after 07/17/2006?*    No			
Chem. Treated Mis	sc. Discharge (CT) Cooling Water Intake Stru	cture (CW)     Drilling Fluidsand Cuttings (DF)	Hydrate Control Fluid (HF)	Maintenance BMP (WM)
Misc Discharge (M	——————————————————————————————————————	Sanitary & Depressio WVV, Deck Drainage (VVV)	Stock Base Fluid Drill (SB)	Well Fluids (WF)
<b></b>	5			
Structure 6  Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	
MODU	Well No. A015	+ 28.791038 -	89.0561924	X
Water Depth (in feet) 1023	Built after 07/17/2006?*  No			
Chem . Treated Mis	sc. Discharge (CT) Cooling Water Intake Stru	cture (CW) 🔀 Drilling Fluidsand Cuttings (DF)	Hydrate Control Fluid (HF)	Maintenance BMP (WM)
Misc Discharge (M	and the second s	San llary & Domestio WW, Deck Drainage (WW)	X Stock Base Fluid Drill (SB)	₩ell Fluids (WF)
Structure 7				

Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	
MODU	Well No. A021	+ 28.791093 -	89.056168	X
Water Depth (in feet)	Built after 07/17/2006?* No			
Chem . Treated Mi	isc. Discharge (CT) Cooling Water Intake Str	ucture (CW) 🔀 Drilling Fluids and Cuttings (DF)	Hydrate Control Fluid (HF)	Maintenance BMP (WM)
Misc Discharge (N	MD) Produced Water (PR)	Sanitary & Domestic WW. Deck Drainage (WW)	Stock Base Fluid Drill (SB)	
Add Structu		utanaga (1774)		
Structure 8				
Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	
MODU	Well No. A033	+ 28.791097	89.0561280	<u>X</u>
Water Depth (in feet) 1023	Built after 07/17/2006?* No			
Chem . Treated Mi	isc. Discharge (CT) Cooling Water Intake Str	ucture (CW) 🔀 Drilling Fluidsand Cuttings (DF)	X Hydrate Control Fluid (HF)	Maintenance BMP (WM)
Misc Discharge (N	200200000A	San Lary & Domestic WW, Deck Drainage (WW)	Stock Base Fluid Drill (SB)	Well Fluids (WF)
Structure 9				
Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	
MODU	Well No. A019	+ 28.791044 -	89.056155	X
Water Depth (in feet)	Built after 07/17/2006?* No			
Chem . Treated Mi	isc. Discharge (CT) Cooling Water Intake Str	ucture (CW) 🔀 Drilling Fluidsand Cuttings(DF)	Hydrate Control Fluid (HF)	■ Maintenance BMP (WM)
Misc Discharge (M		Sanitary & Doracetic WW, Deck Drainage (WW)	⊠ Stock Base Fluid Drill (SB)	<b>⋈</b> Well Fluids (WF)
Add Structu	re			
Structure 10				

Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	
MODU	Well No. A029	+ 28.791013 -	89.0561857	X
Water Depth (in feet)	Built after 07/17/2006?* No			
Chem. Treated Mi	isc. Discharge (CT) Cooling Water Intake Str	ucture (CW) 🔀 Drilling Fluidsand Cuttings (DF)	Hydrate Control Fluid (HF)	Maintenance BM P (WM)
Misc Discharge (N	MD) Produced Water (PR)	Sanitary & Domestic WW, Deck	Stock Base Fluid Drill (SB)	
Add Structu		Orainage (WW)		
Structure 11				
Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	
MODU	Well No. A047	+ 28.791075	89.0561213	X
Water Depth (in feet) 1023	Built after 07/17/2006?* No			
Chem. Treated M	isc. Discharge (CT) Cooling Water Intake Str	ucture (CW) 🔀 Drilling Fluidsand Cuttings (DF)	X Hydrate Control Fluid (HF)	Maintenance BMP (WM)
Misc Discharge (M	and the second s	Sanitary & Domestic WVV, Deck Oralinage (VVV)	▼ Stock Base Fluid Drill (SB)	Well Fluids (WF)
Structure 12				
Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	
MODU	Well No. A027	+ 28.791115 -	89.056172	X
Water Depth (in feet)	Built after 07/17/2006?* No			
Chem. Treated Mi	isc. Discharge (CT) Cooling Water Intake Str	ucture (CW) 🔀 Drilling Fluidsand Cuttings (DF)	Hydrate Control Fluid (HF)	Maintenance BMP (WM)
Misc Discharge (N		Sanitary & Doracetic WAV, Deck Drainage (WW)	▼ Stock Base Fluid Drill (SB)	Well Fluids (WF)
Add Structu	re			
Structure 13				

Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	
MODU	Well No. A025	+ 28.791043 -	89.056220	X
Water Depth (in feet)	Built after 07/17/2006?* No			
Chem . Treated Mi	isc. Discharge (CT) Cooling Water Intake Str	ucture (CW)	─────────────────────────────────	ズ Maintenance BM P (WM)
Misc Discharge (M	MD) Produced Water (PR)	San Lary & Consestic WW. Deck Drainage (WW)	ズ Stock Base Fluid Drill (SB)	Well Fluids (WF)
Add Structu		utanaga (1999)		
Structure 14				
Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	1
MODU	Well No. A017	+ 28.791096 -	89.05619	<u>X</u>
Water Depth (in feet) 1023	Built after 07/17/2006?* No			
Chem . Treated Mi	isc. Discharge (CT) Cooling Water Intake Str	ucture (CW)	Hydrate Control Fluid (HF)	ズ Maintenance BM P (WM)
Misc Discharge (M		San Lary & Doniestic WW, Deck Drainage (WW)	Stock Base Fluid Drill (SB)	Well Fluids (WF)
Structure 15				
Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	
MODU	Well No. A023	+ 28.791025 -	89.056176	X
Water Depth (in feet)	Built after 07/17/2006?* No			
Chem. Treated Mi	isc. Discharge (CT) Cooling Water Intake Str	ucture (CW)     Drilling Fluids and Cuttings (DF)	Hydrate Control Fluid (HF)	Maintenance BMP (WM)
Misc Discharge (M		San Lary & Domestic WW, Deck Drainage (WW)	Stock Base Fluid Drill (SB)	Well Fluids (WF)
Add Structu	re			
Structure 16				

Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	
MODU	Well No. A020	+ 28.790835 -	89.056378	X
Water Depth (in feet)	Built after 07/17/2006?*  No			
Chem . Treated Mis	c. Discharge (CT) Cooling Water Intake Stru	cture (CW)		Maintenance BMP (WM)
Misc Discharge (M		Saritary & Domestic WW. Deck Drainage (WW)	▼ Stock Base Fluid Drill (SB)	<b>◯</b> Well Fluids (WF)
Add Structur	ė			
Structure 17				
Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	
MODU	Well No A031	+ 28.791076	89.056215	X
Water Depth (in feet) 1023	Built after 07/17/2006?*    No			
Chem . Treated Mis	sc. Discharge (CT) Cooling Water Intake Stru	cture (CW) 🔀 Drilling Fluidsand Cuttings (DF)	Hydrate Control Fluid (HF)	Maintenance BMP (WM)
Misc Discharge (M	——————————————————————————————————————	Sanitary & Domestic WW, Deek Drainage (WW)	X Stock Base Fluid Drill (SB)	<b>▼</b> Well Fluids (WF)
<b></b>				
Structure 18  Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	l summer de
MODU	Well No. A041	+ 28.791068	89.056227	X
Water Depth (in feet) 1023	Built after 07/17/2006?*  No			
Chem . Treated Mis	sc. Discharge (CT) Cooling Water Intake Stru	cture (CW) 🔀 Drilling Fluidsand Cuttings(DF)	Hydrate Control Fluid (HF)	Maintenance BMP (WM)
Misc Discharge (M		Sanitury & Deniedlic WV/, Deck Drainage (WW)	Stock Base Fluid Drill (SB)	₩ Well Fluids (WF)
Add Structur	e			
Structure 19				
N				

Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	
MODU	Well No. A043	+ 28.791082	- 89.056183	X
Vater Depth (in feet)				
1023	No	_	_	_
Chem . Treated M	lisc Discharge (CT) Cooling Water Int	ake Structure (CW) 🔀 Drilling Fluids and Cuttings (DF		Maintenance BMP (WM)
Misc Discharge (M	MD) Produced Water (I	PR) Sanitary & Obmestic WVV, Deck Drainage (WVV)	Stock Base Fluid Drill (SB)	Well Fluids (WF)
Add Structu	ire			
Structure 20				
ype *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	
MODU	Well No. A030	+ 28.790835	- 89.0563789	X
Vater Depth (in feet)				
1023	No			
Chem. Treated M	isc. Discharge (CT) Cooling Water Inti	ake Structure (CW) 🔀 Drilling Fluids and Cuttings (Df		Maintenance BMP (WM)
Misc Discharge (N	MD) Produced Water (	PR) Sanitary & Deneedic WW, Deek Drainage (WW)	Stock Base Fluid Drill (SB)	▼ Well Fluids (WF)
Add Structu	re			
Add Lease Blo	ck			
	GK .			
nsitive Areas	al.			
Add Lease Blo	UK .			
ation Information				
		Form Action		
	Redacte	Approve		
Signature Acknowle	dgement			
tify under penalty o	of law that this document and all attachment	s were prepared under my direction or supervision in acc	ordance with a system designed to assure	that qualified personnel properly gathered and

evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those person directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Page 8 of 8